

M

MINKA

AIRE



2026 January Fan Collection





Welcome to Minka's 2026 January Product Launch. We invite you to explore over 350 new lighting products, discover our new collections, and find line extensions of your favorites. At Minka, we are dedicated to bringing you style without sacrifice and performance without question.

JAMIE DORMAN

PRESIDENT
MINKA



Norwynd 60"
Pages 6-7



Norwynd 72"
Pages 8-9



Cadena
Pages 10-11



Allegata
Pages 12-13



Soarin 56"
Pages 14-15



Soarin 72"
Pages 16-17



Brisano
Pages 18-19



Seressa
Pages 20-21



Brenix
Pages 22-23



Foxden
Pages 24-25



Ligero
Pages 26-27



Nellora
Pages 28-29



Veyra
Pages 30-31



Lirden
Pages 32-33



Fleur
Pages 34-35



Oovin
Pages 36-37



Soreno
Pages 38-39



Verna
Pages 40-41



Saltcress
Pages 42-43



Portesa
Pages 44-45



Nauticus
Pages 46-47



Barn
Pages 48-49

MINKA



F821L-CL

Coal Black Finish
Coal Black Blades
*Shown with cap for non-light use
(included)*

Norwynd 60"

3 Blades, 60" Sweep • 15° Blade Pitch • 316 Stainless Steel 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source :

Color Temperature:

Color Rendering Index:

Remote Control System:

Special Features:

Indoor/Outdoor Use - Wet & Coastal Locations

DC 123 x 30mm Motor

10,000+ CFM

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 80

Hand-Held Remote Control System (included)

Full ABS Body

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

Designed for Coastal Locations

Withstands salty ocean air with corrosion-resistant materials and sealed motor housing that blocks moisture and particulates.

F821L-WHF | Flat White Finish • Flat White Blades • Etched Lens



MINKA



F822L-WHF

Flat White Finish
Flat White Blades
*Shown with cap for non-light use
(included)*

Norwynd 72"

3 Blades, 60" Sweep • 21° Blade Pitch • 316 Stainless Steel 6" Downrod



Location Rating:

Motor Type:

CFM Range:

Light Source :

Color Temperature:

Color Rendering Index:

Remote Control System:

Special Features:

Indoor/Outdoor Use - Wet & Coastal Locations

DC 123 x 30mm Motor

12,000+ CFM

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 80

Hand-Held Remote Control System (included)

Full ABS Body

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

Designed for Coastal Locations

Withstands salty ocean air with corrosion-resistant materials and sealed motor housing that blocks moisture and particulates.

F822L-CL | Coal Black Finish • Coal Black Blades • Etched Lens



MINKA



F783L-HBR/WCD

Heritage Brass Finish
Warm Coastal Driftwood Blades
Etched Lens

Cadena

5 Blades, 65" Sweep • 13° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 126 x 12mm Motor

30W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F783L-HBR/CL | Heritage Brass Finish • Coal Black Blades • Etched Lens




F783L-DB/WTO | Dark Bronze Finish • White Oak Blades • Etched Lens



F783L-BN/CL | Brushed Nickel Finish • Coal Black Blades • Etched Lens



MINKA



F779L-HBR/ALW

Heritage Brass Finish
Alabaster White Blades
Etched Opal Glass

Allegata

6 Blades, 56" Sweep • 13° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 126 x 12mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F779L-DB/ASW | Dark Bronze Finish • Ashwood Blades • Etched Opal Glass



F779L-BN/WTO | Brushed Nickel Finish • White Oak Blades • Etched Opal Glass



MINKA



F892L-CL/AO

Coal Black Finish
Aged Oak Blades
White Lens

Soarin 56"

6 Blades, 56" Sweep • 11° Blade Pitch • 10" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Damp Locations

DC 153 x 20mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F892L-CL | Coal Black Finish • Coal Black Blades • White Lens



F892L-DB/WTO | Dark Bronze Finish • White Oak Blades • White Lens



MINKA



F893L-DB/WTO

Dark Bronze Finish
White Oak Blades
White Lens

Soarin 72"

6 Blades, 72" Sweep • 11° Blade Pitch • 10" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Damp Locations

DC 168 x 25mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F893L-CL | Coal Black Finish • Coal Black Blades • White Lens



F893L-CL/AO | Coal Black Finish • Aged Oak Blades • White Lens



MINKA



F785L-WTO

White Oak Finish
White Oak Blades
Etched Lens

Brisano

6 Blades, 65" Sweep • 14° Blade Pitch • Flush Mount



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 123 x 30mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 80

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F785L-CL | Coal Black Finish • Coal Black Blades • Etched Lens



F785L-ALW | Alabaster White Finish • Alabaster White Blades • Etched Lens



MINKA



F793L-HBR/CL

Heritage Brass Finish

Coal Black Blades

*Shown with cap for non-light use
(included)*

Seressa

5 Blades, 56" Sweep • 14° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Damp Locations

DC 153 x 8mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F793L-ALW/BW | Alabaster White Finish • Bleached Wood Blades • White Lens



F793L-DB/ASW | Dark Bronze Finish • Ashwood Blades • White Lens



F793L-RGM/CL | Rustic Gun Metal Finish • Coal Black Blades • White Lens



MINKA



F773L-BN/CL

Brushed Nickel Finish
Coal Black Blades
Etched Lens

Brenix

6 Blades, 60" Sweep • 16° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 126 x 12mm Motor

24W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K


CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F773L-HBR/CL | Heritage Brass Finish • Coal Black Blades • Etched Lens



F773L-HBR/DO | Heritage Brass Finish • Dark Oak Blades • Etched Lens



F773L-DB/WTO | Dark Bronze Finish • White Oak Blades • Etched Lens



MINKA



F778L-LBR/CL

Legacy Brass Finish
Coal Black Blades
Acrylic Lens

Foxden

3 Blades, 53" Sweep • 20° Blade Pitch • 6" Downrod • Uplight & Downlight



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 123 x 30mm Motor

Dimmable LED: 10W Uplight + 20W Downlight

2700K, 3000K, 3500K, 4000K, 5000K

CRI 80

Hand-Held Remote Control System (included)

RC700L Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer
- Color Control for Up/Down Light

F778L-LBR/WHF | Legacy Brass Finish • Flat White Blades • Acrylic Lens



F778L-DB/WTO | Dark Bronze Finish • White Oak Blades • Acrylic Lens



F778L-BN/CL | Brushed Nickel Finish • Coal Black Blades • Acrylic Lens



MINKA



F769L-DB/WTO

Dark Bronze Finish
White Oak Blades
Brown Smoked Glass

Ligero

6 Blades, 60" Sweep • 13° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 125 x 30mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F769L-HBR/CL | Heritage Brass Finish • Coal Black Blades • Clear Glass



F769L-HBR/ALW | Heritage Brass Finish • Alabaster White Blades • Clear Glass



F769L-BN/CL | Brushed Nickel Finish • Coal Black Blades • Clear Glass



MINKA



F772L-LBR/ALW

Legacy Brass Finish

Alabaster White Blades

*Shown with cap for non-light use
(included)*

Nellora

5 Blades, 52" Sweep • 18° Blade Pitch • 6" Downrod



DRY
LOCATION



REMOTE
CONTROLLED



5-CCT LED



DC MOTOR



SMART FAN

Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 168 x 15mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 80

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F772L-DB/WTO | Dark Bronze Finish • White Oak Blades • Clear Glass



F772L-BN/CL | Brushed Nickel Finish • Coal Black Blades • Clear Glass



MINKA



F761L-LBR/ALW

Legacy Brass Finish
Alabaster White Blades
Clear Glass

Veyra

6 Blades, 56" Sweep • 20° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 123 x 30mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 80

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F761L-LBR/CL | Legacy Brass Finish • Coal Black Blades • Clear Glass



F761L-DB/WTO | Dark Bronze Finish • White Oak Blades • Brown Smoked Glass



MINKA



F758L-HBR/DB

Heritage Brass Finish
Dark Bronze & Translucent
Brown Smoke Blades
White Lens

Lirden

3 Blades, 65" Sweep • 17° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 100 x 30mm Motor

18W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F758L-DB/HBR | Dark Bronze Finish • Heritage Brass & Translucent Brown Smoke Blades • White Lens



F758L-HBR | Heritage Brass Finish • Painted Linen Blades • White Lens



MINKA



F757L-HBR/DB

Heritage Brass &
Dark Bronze Finish
Translucent Brown Smoke Blades
White Lens

Fleur

3 Blades, 64" Sweep • 14° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 100 x 30mm Motor

18W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F757L-BN | Brushed Nickel Finish • Translucent Grey Smoke Blades • White Lens



MINKA



F766L-HBR/WCD

Heritage Brass Finish

Warm Coastal Driftwood Blades

*Shown with cap for non-light use
(included)*

Oovin

5 Blades, 54" Sweep • 18° Blade Pitch • 6" Downrod



DRY
LOCATION



REMOTE
CONTROLLED



5-CCT LED



DC MOTOR



SMART FAN

Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 126 x 10mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F766L-HBR/CL | Heritage Brass Finish • Coal Black Blades • Etched Opal Glass



F766L-DB/WTO | Dark Bronze Finish • White Oak Blades • Etched Opal Glass



F766L-CL | Coal Black Finish • Coal Black Blades • Etched Opal Glass



MINKA



F649L-BN/CL

Brushed Nickel Finish

Coal Black Blades

*Shown with cap for non-light use
(included)*

Soreno

5 Blades, 52" Sweep • 12° Blade Pitch • 6" Downrod



DRY
LOCATION



REMOTE
CONTROLLED



5-CCT LED



BOND
COMPATIBLE

Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

AC 153 x 17mm Motor

18W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 80

Hand-Held Remote Control System (included)

RCS213-S Remote Control

- 3-Speed Fan Control
- On/Off Plus Full Range Light Dimmer

F649L-ALW/BBR | Alabaster White & Brushed Brass Finish • Alabaster White Blades • Matte Lens



MINKA



F646L-CL

Coal Black Finish
Coal Black Blades
*Shown with cap for non-light use
(included)*

Verna

3 Blades, 52" Sweep • 16° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

AC 153 x 17mm Motor

18W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 80

Hand-Held Remote Control System (included)

RCS213-S Remote Control

- 3-Speed Fan Control
- On/Off Plus Full Range Light Dimmer

F646L-WHF | Flat White Finish • Flat White Blades • Matte Lens



MINKA



F764L-LBR

Legacy Brass Finish
Sand Alabaster White Blades
Etched Opal Glass

Saltcress

5 Blades, 60" Sweep • 10° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Damp Locations

DC 123 x 30mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F764L-DB | Dark Bronze Finish • Sand Alabaster White Blades • Etched Opal Glass



MINKA



F798L-CL/NPL

Coal Black Finish
Natural Palm Blades
Etched Opal Lens

Portesa

5 Blades, 60" Sweep • 12° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 126 x 20mm Motor

20W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F798L-HBR/NPL | Heritage Brass Finish • Natural Palm Blades • Etched Opal Lens



MINKA

New
Finish



F768L-LBR/NVY

Legacy Brass Finish
Navy Blue Blades
Clear Glass

Nauticus

3 Blades, 65" Sweep • 14° Blade Pitch • 6" Downrod



Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor/Outdoor Use - Wet Locations

DC 120 x 25mm Motor

20W Dimmable LED

3000K

CRI 90

Hand-Held Remote Control System (included)

RC1000 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F768L-LBR/NVY | Shown with cap for non-light use (Sold Separately)



MINKA

New
Finish



F864L-LBR

Legacy Brass Finish
Bleached Wood Blades
Etched Lens

Barn

10 Blades, 65" Sweep • 16° Blade Pitch • 10" Downrod



F864L-LBR: 5-CCT LED. All other Barn SKUs are fixed at 3000K.

Location Rating:

Motor Type:

Light Source:

Color Temperature:

Color Rendering Index:

Remote Control System:

Indoor Use - Dry Locations

DC 168 x 30mm Motor

30W Dimmable LED

2700K, 3000K, 3500K, 4000K, 5000K

CRI 90

Hand-Held Remote Control System (included)

RC400 Remote Control

- 6-Speed Fan Control in Fwd & Rev
- On/Off Plus Full Range Light Dimmer

F864L-WHF/SVG | Flat White Finish • Savannah Grey Blades • Clear Ribbed Glass



F864L-HBZ | Heirloom Bronze Finish • Barnwood Blades • Clear Ribbed Glass



F864L-BNK | Burnished Nickel Finish • Savannah Grey Blades • Clear Ribbed Glass



F864L-CL/SG | Coal Black Finish • Seashore Grey Blades • Clear Ribbed Glass



M
MINKA
AIRE

Headquarters

1151 Bradford Circle
Corona, California 92882

Showroom

Dallas Market Center
2100 Stemmons, Suite 4103
Dallas, Texas 75207

800.221.7977 • sales@minka.com

MINKA.COM